

Electric Pallete Truck







Product Description

The Moti AE2000 hand pallet truck with a capacity of 2000 kg is a robust and reliable premium product for daily pallet handling. It impresses in continuous daily use thanks to its easy handling, maintenance-free design and outstanding durability.

- Ergonomic control element can be operated with either hand
- Optimised hydraulics for reduced effort
- Durable thanks to robust materials and solid construction
- Maintenance-free design with all connections lubricated for life
- Special lowering valve for precision lowering

AE2000 - the classic in the Motipallet truck range

The Moti AE2000 hand pallet truck with a capacity of 2000 kg is a high-quality product. All functions can be easily operated with one hand. Thanks to the special lowering valve, sensitive loads can be set down with utmost control and precision.

The hand pallet truck does not require any servicing as the connections are lubricated for life and the pump hydraulics are maintenance-free. The outstanding stability and durability of the product is ensured by heavy-duty steel, a sophisticated design





Electric Pallete Truck

and a welded tiller mount. The covered entry rollers and rounded fork tips make insertion and retraction from the pallet particularly easy.

The Moti AE2000 hand pallet truck with 1150 mm fork length, 550 mm wide & 2500 kg capacity is available in different wheel configurations. Depending on the ground conditions and specific application, you can choose between a range of roller materials. You can also opt for single or

tandem fork rollers.

Durable, reliable and proven in continuous daily use - the Moti AE2000 hand pallet truck with a capacity of 2000 kg and standard fork length is the ideal partner for your everyday pallet transport. Order this classic product from the pallet truck range in our shop in your chosen configuration.

Product Features

Easy to operate

Smooth controls equally suitable for both left-handed and right-handed users. Particularly sensitive and controlled lowering of loads with the special lowering valve. The optional fast lift (up to 120 kg) ensures that Euro pallets can be lifted clear of the floor with just 3 pump strokes. The maximum lift height is achieved with only 5 pump strokes.

Shorter and more manoeuvrable

The front-end length of just 373 mm allows for reliable and easy operation, even in very confined spaces.

Effortless and simple

The optimised hydraulic system reduces the pump force required. The drawbar pull required is reduced by the bushes on the wheels.

Quiet and robust

The chromed bushes on the wheels and joints ensure quiet running and an exceptionally long service life. Excellent smooth running even without lubrication of the connections.

Clear and safe

Embossed markings on the truck show the exact, secure pallet position required for crossways lifting.





Technical Details

KG	Capacity	2 tons	
e HÎ	Min. Fork Height	90 mm	
	Max. Fork Height	200	
®	Steering Wheel	180 x 50 mm	
E HIÌ	Load Roller Single	82 x 70 mm	
	Load Roller Tandem	82 x 70 mm	
←□→	Size Of Fork	1550 x 550 mm	
	Overall Fork Width	550 mm	
←□→	Fork Length	1150 / 1220 mm	
KG	Self Weight	200 kg	
	Warranty	1 Year	









No.245-B/3, PKM Lane, Vanagaram Rd, Athipet, Ambattur, Chennai - 53.



sales@motiequipments.com



+91-9797975577

www.motiequipments.com

