

# Manual Hand Pallete







### Product Description

The Moti MB1000 & MB2000 hand pallet stacker with a capacity of 1500 kg & 2000 Kg & a lift height from 1.6 Meters up to 3 Meters is a robust and reliable premium product for daily pallet handling. It impresses in continuous daily use.

- Ergonomic control element can be operated with either hand
- Optimised hydraulics for reduced effort
- Durable thanks to robust materials and solid construction
- Maintenance-free design with all connections lubricated for life
- Special lowering valve for precision lowering

The Moti MB1000 & MB2000 hand pallet stacker with a capacity of 1000 kg & 2000 Kg is a high-quality product.. All functions can be easily operated with one hand. Thanks to the special lowering valve, sensitive loads can be set down with utmost control and precision.

The hand pallet stacker does not require any much servicing as the connections are lubricated for life and the pump hydraulics are maintenance-free. The outstanding stability and durability of the product is ensured by heavy-duty steel, a sophisticated design and a welded tiller mount. The covered entry rollers and rounded fork tips make insertion and





### **Manual Hand Pallete**

retraction from the pallet particularly easy.

The Moti MB1000 & MB2000 hand pallet stacker with 1150 mm fork length, 600 mm wide & 1000 kg & 2000 kg capacity is available in different wheel configurations. Depending on the ground conditions and specific application, you can choose between a range of roller materials.

Durable, reliable and proven in continuous daily use - The Moti MB1000 & MB2000

hand pallet stacker with a capacity of 1000 kg & 2000 Kg and standard fork length is the ideal partner for your everyday pallet transport.

Order this classic product from the pallet truck range in our shop in your chosenconfiguration.

### **Product Features**

#### Easy to operate

Smooth controls equally suitable for both left-handed and right-handed users. Particularly sensitive and controlled lowering of loads with the special lowering valve. The optional fast lift (up to 120 kg) ensures that Euro pallets can be lifted clear of the floor with just 3 pump strokes. The maximum lift height is achieved with only 5 pump strokes.

#### Shorter and more manoeuvrable

The front-end length of just 373 mm allows for reliable and easy operation, even in very confined spaces.

#### **Effortless and simple**

The optimised hydraulic system reduces the pump force required. The drawbar pull required is reduced by the bushes on the wheels.

#### Quiet and robust

The chromed bushes on the wheels and joints ensure quiet running and an exceptionally long service life. Excellent smooth running even without lubrication of the connections.

#### Clear and safe

Embossed markings on the truck show the exact, secure pallet position required for crossways lifting.





## Technical Details

(KG)	Capacity	1 Ton & 2 Tons
e HĴ	Min. Fork Height	90 mm
	Max. Fork Lift Height	1.6 Meters , 3 Meters
<b>®</b>	Steering Wheel	180 x 50 mm
e HIÌ	Load Roller Single	82 x 70 mm
	Load Roller Tandem	82 x 70 mm
←□→	Size Of Fork	1550 x 550 mm
	Overall Fork Width	550 mm
←□→	Fork Length	1150 / 1220 mm
(KG)	Self Weight	200 kg
	Warranty	1 Year









No.245-B/3, PKM Lane, Vanagaram Rd, Athipet, Ambattur, Chennai - 53.



sales@motiequipments.com



+91-9797975577

www.motiequipments.com

